

TENDER CALL NOTICE NO. 01/2018-19  
DIRECTORATE GENERAL OF F.S,HGs & C.D, ODISHA,CUTTACK

**Tender Document No. I**

1. Sealed Tenders are invited from the Manufacturer/Authorized Agent /Authorized Dealer of the OEM for purchase of different types of Clothing and Ceremonial Equipment items for Home Guards during current F/Y - 2018/19 as mentioned at Annexure- A.
2. Name of Clothing and Ceremonial Equipment items along with detail technical specification, probable requirements against each item may be seen from the Govt. of Odisha Web Site i.e [www.odisha.gov.in](http://www.odisha.gov.in). and web-site of the Directorate General of Fire Service, Home Guards & Civil Defence, Odisha, Cuttack i.e. [www.odishafshqscd.gov.in](http://www.odishafshqscd.gov.in). The quantity may vary during indent of the item depending upon budgetary allocation.
3. The Tender document may be obtained,
  - a) On payment of Rs.300/- (Rupees Three Hundred) only between 10 A.M. to 5 P.M. on each working day from the Office of the undersigned at the address given below.
  - b) By sending a self stamped (Rs.80/-) envelope of size not less than 35 cm x 25 cm along with a Demand Draft non A/c payee of Rs.300/- (Rupees Three Hundred) only payable at S.B.I. Main Branch Cuttack drawn in favour of **D.D.O, O/o Commandant General, Home Guards, Odisha, Cuttack**.
  - c) By downloading from Govt. of Odisha Web Site i.e. [www.odisha.gov.in](http://www.odisha.gov.in) or from web-site of the Directorate General of Fire Service, Home Guards & Civil Defence, Odisha, Cuttack i.e. [www.odishafshqscd.gov.in](http://www.odishafshqscd.gov.in).
4. The Tender documents shall be submitted in the office of the undersigned duly signed by the authorized signatory in each page and duly authenticated with seal in token of having read, understood and accepted the terms and conditions of the contract. However in case of down loaded Tender document a non-A/C payee Demand Draft of Rs.300/- (Rupees Three Hundred) only payable at SBI Cuttack drawn in favour of **D.D.O, O/o Commandant General, Home Guards, Odisha, Cuttack** towards cost of Tender document shall be enclosed. Bids submitted otherwise than in the manner prescribed in the Tender document shall be rejected.
5. Tender calling authority has the right to accept or reject the Tender(s) without assigning any reason thereof.
6. This tender shall remain valid for 1 year from the date of finalization of approved bidder for any of the listed items by the Purchase Committee or till the next tender is floated by the indenter for same item whichever is earlier.
7. Date of issue of Tender documents on dtd. 17.11.2018 at 10.00 A.M.
8. Last date for issue of Tender document on dtd. 11.12.2018 up to 5.00 P.M.
9. Last date for receipt of Sealed Tender and sample on dtd. 12.12.2018 up to 5.00 P.M.
10. Date for opening of sealed Tenders / Technical Bids on dtd. 14.12.2018 at 11.00 A.M at the Conference Hall of the Directorate General of Fire Service, Home Guards & Civil Defence, Odisha, Cuttack.
11. The concerned bidders are required to depute their representatives to remain present during opening of the received Tenders / Technical Bids on 14.12.2018 at 11.00 A.M. at the Conference Hall of the Directorate General of Fire Service, Home Guards & Civil Defence, Odisha, Cuttack.
12. The Tenders received after the stipulated date will not be taken into consideration and liable for rejection.
13. All disputes which may arise relating to tender are subject to judicial jurisdiction of the competent Court at Cuttack only.
14. It is to certify that this tender document contains 32 pages.

**I.G. of Police, F.S, HGs & C.D,  
Odisha, Cuttack  
(Tender Calling Authority)**

TENDER CALL NOTICE NO. 01/2018-19  
DIRECTORATE GENERAL OF F.S,HGs & C.D, ODISHA,CUTTACK

ANNEXURE - "A"

**APPROX. REQUIREMENT OF CLOTHING AND CEREMONIAL EQUIPMENT ITEMS  
TO BE PURCHASED FOR HOME GUARDS DURING THE CURRENT FINANCIAL YEAR  
2018-19.**

\*\*\*\*\*

Sl. No.	Name of the Clothing items	Approximate Quantity for purchase
1	2	3
1.	Maroon Lanyard (Braided)	17675 Nos.
2.	OHG white Metal Cap Badge	2360 Nos.
3.	OHG White Metal Letters	2468 Prs.
4.	Hackles (B/W)	5000 Nos.
5.	Brown Nylon Belt with Belt Plate and OHG Logo	8838 Nos.
6.	White T.C. Cloth	255 Mtrs.
7.	Oxford Shoe Brown (PU Sole)	899 Prs.
8.	Jungle Boot (PU Sole)	4337 Prs.
9.	P.T.Shoe (White)	340 Prs.
10.	Brown colour leather belt with belt plate and OHG Logo	2000 Nos.
11.	Name Plate for Home Guards	8838 Nos.
12.	P.T.Vest (White)	340 Nos.
	<b>Name of the Ceremonial Equipment items</b>	--
1.(i)	Pagari	1690 Nos.
(ii)	Scarf	1690 Nos.
(iii)	Kamar Patti	1690 Nos.
(iv)	Shoulder Strap	1690 Nos.
(v)	Woolen Sash (Maroon Colour)	1690 Nos.
2.	White Cotton Long Gloves	1690 Nos.
3.	White Anklet	1690 Nos.

**Tender Call Notice No.01/2018-19**  
**Tender Document No. II**

**GENERAL CONDITIONS OF THE CONTRACT.**

1. The bidder /Supplier shall essentially be
  - a) An Original Equipment Manufacture  
Or
  - b) An Authorized Agent of the OEM having running business in the tendered item with good business track record.

The bidder in proof of he being an OEM/ Authorized Dealer or Agent shall submit authenticated documentary evidence in this regard. The proof submitted earlier in some other context shall not be treated as valid and sufficient. (Note : Prospective bidders should ensure that contact details such as Telephone/ mobile number, Fax number, e-mail Id of their OEM / Principal must be mentioned in the letter of Authorization).

2. The tenders (also called bids), not submitted in prescribed format or in the prescribed manner, shall be rejected by the Tender Committee at the risk and responsibility of the bidder.
3. All the information as called for in the tender document should be submitted truly clearly, legibly, transparently, unambiguously and without the use of abbreviations. It shall be submitted in English.
4. All the crucial figures, like rates and amount should be written in figures followed by words in a bracket.
5. There shall be no over-writing in the tender document and other papers submitted. All the additions, alterations, deletions and cutting should be initialed with rubber stamp (or seal) by the same person, who signs the tender document failing so, the tender may be rejected.
6. All the rates and amounts shall be quoted in Indian Rupees (IR) and shall be presumed to be in Indian Rupees unless specifically permitted to be quoted otherwise in this tender document. However an OEM located outside the country may quote its price in the Currency of the country to which he belongs but the same shall be converted to INR at the exchange rate prevailing on the date of opening of Tender and the same will be binding on both parties.
7. The rates quoted shall be valid for a period of one year counted from the last date of receipt of the bids or submission of tenders.

TENDER CALL NOTICE NO. 01/2018-19  
DIRECTORATE GENERAL OF F.S,HGs & C.D, ODISHA,CUTTACK

8. Each page of this tender document should be signed by the bidder with seal in token of having read, understood and accepted the terms and conditions of this contract.
9. For the Companies and Corporations making the bids, the tender document shall be signed by the managing Director. If it is otherwise, the authority to sign the tender paper on behalf of the Company / Corporation shall be enclosed. In case of partnership Firm, it shall be signed by the active Partner. In case of a proprietary firm, the tender document shall be signed by the Proprietor.
10. "Legal Status" of a bidder shall mean either proprietorship or partnership or private / public limited company or otherwise (to be specified), as the case may be.
11. All the documents and papers submitted with the bid should be either in English or in Odia and shall be authenticated under the seal and signature of the bidder unless specified otherwise in the tender document.
12. All the promotional and technical literature of the products intended to be supplied should be submitted for proper appreciation of the bid, whether or not; specifically called for in this tender document. This literature should also be in English or Odia.
13. Submission of more than one competitive bid by the same firm in response to the tender call notice is prohibited. All such bids except one received first will be cancelled at the discretion of the authority calling the bids. A bidder may however, offer in his bid more than one product of the same Original Equipment Manufacturer (OEM), if in his opinion all such products meet the prescribed technical specifications. In that case, he should submit "Technical Bids" of all such products separately but in the same prescribed format, in the same sealed single cover. Separate "financial bids" should also be submitted similarly in the same sealed single cover (**see below for the meaning of sealed cover**).
14. The bidder may use separate piece of paper, where the space provided in the formats in this tender document for submission of information, is not sufficient. The information in the separate sheet of paper shall be in prescribed format and its page should be serially numbered and duly authenticated.
15. All the information submitted or supplied in the formats of this tender document shall be presumed to be true to the best of the knowledge of the bidder.
16. No firm / Company without valid **GST Registration number** and PAN shall be eligible for submitting bids. Firms blacklisted shall also not be eligible for participating in the bid.
17. Copies of Valid Registration Certificates issued by competent Authorities under the **GST Act** and Copy of PAN shall be enclosed to the Tender document. In no case other certificates issued by authorities in lieu of such certificates shall be accepted.
18. Copies of income Tax return, Audited Balance Sheets, P/L a/c and Trading a/c of previous year along with copies of Annual VAT and CST returns of previous year need also be enclosed to the Tender document.

TENDER CALL NOTICE NO. 01/2018-19  
DIRECTORATE GENERAL OF F.S,HGs & C.D, ODISHA,CUTTACK

19. At the time of opening of Tender/Financial bid the bidder will have to satisfy the competent authority that he is not only authorized as per his Registration Certificates to deal in the tendered item but he has also a running business in such items and he has the ability to supply the tendered quantity in prescribed time limit and to meet the warrantee conditions of the product.
20. The bidders of Odisha will have to submit GST Registration Certificate issued by the competent authority of Odisha long with the GST returns (GSTR-3B and GSTR-1) filed for the last tax period. Similarly the bidder from outside State will submit the GST Registration Certificate, copy of GST return of last tax period and the affidavit enclosed as Annexure-D at the time of submission of tender.
21. The bid security (EMD), if called for, shall either be in the form of Demand Draft/FDR/Banker's Cheque of a Scheduled Bank payable at Cuttack or by pledging of NSC/FDR/Postal Savings Pass Book, all in favour of **D.D.O, O/o Commandant General, Home Guards, Odisha, Cuttack.** EMD shall be returned immediately after the rejection of a bid. The DD/FDR/Banker's Cheque etc. shall be returned in original with or without reverse endorsement as required for the refund. EMD of the successful bidders shall be retained till the supplies are successfully delivered as per order or adjusted against "Performance Security" (defined on condition No.10 of Special Conditions of the Contract) as per conditions of performance security agreement.
22. **This tender document has prescribed a two-bid format for submitting the offers. It contain the "Technical" (Tender document No.V) and "Financial" (Tender document No.VI) bid formats. Both the bids shall be submitted in separate sealed covers identified as "Technical" or "Financial" bid after detaching their formats from this tender document. Both the sealed covers the remaining part of this tender document including General Conditions of the Contract (Tender Document No. II), Special Conditions of Contract (Tender Document No.III), General Bid (Tender Document No. IV) and all Annexure A,B,C,D and E and all other papers / documents should be put inside a bigger sealed cover and shall be delivered as per conditions published in the tender call notice. All the sealed cover shall have boldly written with the name of supplier/bidder, the tender call notice number and the last date for submission.**
23. No document as required and mentioned in the General /Special conditions of contract shall be enclosed to the technical bid / Financial bid documents unless otherwise specifically mentioned therein. All required documents shall be enclosed to the General bid proforma duly authenticated and serially numbered and page marked.
24. The tenders or the bids can be sent by Regd. with AD post or courier as well. However, the authorities shall not be responsible for the postal and other delays in receipt of bids.

TENDER CALL NOTICE NO. 01/2018-19  
DIRECTORATE GENERAL OF F.S,HGs & C.D, ODISHA,CUTTACK

25. If the last date for receipt of the tender/bid turn out to be a holiday, it will automatically be extended to next working day.
26. The tender calling authority shall make arrangements in his office for issuing a written acknowledgement, under proper seal and signature, of the filled in tenders, provided those are submitted on or before the due date. The acknowledgement shall be issued even if the Tenders are dropped in a sealed box. The acknowledgement receipt shall mention, among others, the tender call notice number.
27. A bid submitted cannot be withdrawn. The bidder or his authorized representative (one person only) will be allowed to be present at the time of opening of tenders. They will not participate in the discussions. Clarifications sought, if any may be provided by them.
28. All or any of the tenders (or bids) submitted can be rejected without assigning any reason thereof. No. claim, whatsoever, shall be admissible for the alleged loss / damage suffered by the bidders on account of such rejections.
29. The Tenders/bids received in the prescribed time shall be opened by the tender committee at the prescribed date time and place. Any bid found incorrect or incomplete in any manner would be summarily rejected by the said committee.
30. The "Technical" bids shall be opened and scrutinized by the Technical Committee, only in respect of the bidders who have been found to fulfill all the prescribed criteria and conditions of this tender document other than technical specifications of the products. Only branded products shall be accepted unless otherwise mentioned in the special conditions of the contract.
31. All the products, failing to fulfill the prescribed technical specifications, shall be rejected. Decision of the Technical Committee in this respect shall be final and binding. The Technical Committee may examine (i) experience and past performance on similar contracts for last 2 (two) years (ii) capabilities with respect to personnel, equipment and manufacturing facilities (iii) financial standing through latest I.T.C.C., Annual Report (balance sheet and Profit & Loss Account) of last 3(three) years.
32. The bidder shall have to submit in separate paper mentioning complied or not complied against each column of the technical specification given in the tender document.
33. Notwithstanding an offered product meeting the prescribed technical specifications, it may be rejected, if it has not been tried and tested or used in Odisha Fire Service, Home Guards & Civil Defence with satisfaction. It may also be rejected if the bidder fails to successfully demonstrate its product before the Technical Committee.
34. "Financial Bids" shall be opened only in those cases, where one or more of the offered products have fulfilled the prescribed technical specifications. All financial documents like Registration Certificate issued under **GST Act** and IT Acts, VAT Clearance Certificate, IT and ST returns, Audited Balance sheet, Trading a/c and P/L a/c shall be verified at the time of opening of financial bids.

TENDER CALL NOTICE NO. 01/2018-19  
DIRECTORATE GENERAL OF F.S,HGs & C.D, ODISHA,CUTTACK

35. All the prices quoted shall be F.O.R., destination i.e **Cuttack** which means that prices shall include the cost of delivery at destination if nothing otherwise is mentioned in the Special Condition of contract.
36. The Purchase Committee shall discuss and deliberate on the past performance, experience, production capacity, financial strength etc. of the bidders / suppliers as recommended by the Technical Committee, besides the rates quoted by them and select the L-I bid in most transparent manner, taking into considerations the relevant provisions of OGFR and Circulars and notifications issued by the Government of Odisha from time to time, so as to ensure that the purchases are effected in most prudent and economical manner, without compromising the prescribed quality, from the most eligible bidder.
37. Financial negotiations with firms other than the lowest bidder shall not be held without obtaining the prior approval of Government.
38. The authorities are not bound to accept the lowest financial bid.
39. The order for supply may be placed on the successful bidders but the technical specifications (or quality requirements) for the purpose of supply shall be those, which were offered and accepted by the Technical Committee and not those specified in the tender document. It shall not be necessary for the office of the Commandant General Home Guards, DGP Fire Service & Director Civil Defence to place a single order for the entire requirement. Order for the same item but on identical terms and conditions may be placed by different wings of the office such that the total orders placed shall roughly correspond to the quantity mentioned in the tender document. The bills for payment shall be submitted, accordingly, on different wings placing the order.
40. On delivery, the supplies or products shall be inspected to verify the quantity and to see whether those are in accordance with the technical specifications (or quality requirements) for which the order was placed. If it turns out to be otherwise, the acceptance of delivery shall be refused at the risk and responsibility of the supplier. Further the articles found damaged shall not be counted as accepted until repaired or replaced to the satisfaction of the authorities.
41. Short / Part deliveries may not be accepted. All the items ordered must be supplied in full, for claiming even the part payment.
42. All the transit risk shall be the responsibility of the supplier.

TENDER CALL NOTICE NO. 01/2018-19  
DIRECTORATE GENERAL OF F.S,HGs & C.D, ODISHA,CUTTACK

43. User manual of the product shall be supplied without being asked for and without being mentioned in the supply order. Moreover, it should be in English.
44. The supplier have to supply the indent within the time specified in the supply order, Failure to supply the indent in full within the stipulated period as mentioned in the supply order may lead to forfeiture of EMD/ Performance Security and blacklisting of the suppliers. If at all the delivery is allowed to be accepted after the due date, liquidated Damages (LD) @ 0.5% of the total amount of order (excluding taxes) per week or part thereof shall be charged, however that the L.D. shall not exceed 5% of the amount of order.
45. The supplier shall submit an undertaking given by him or the OEM committing to supply spare parts for the maintenance of the supplies for a period of at least 10 years from the date of delivery.
46. The supplier shall give a "Performance Warrantee" for a minimum period as mentioned at SL.10 in the Special Conditions of Contract. The "Performance Security" may be forfeited partly or fully for failure to fulfill the terms and conditions of supply and post sales commitments / obligations. The Bank Guarantee if furnished towards performance security should be enforceable and payable at Cuttack and shall be valid for a period of warranty. (Performance Security has been defined on condition No. 10 of Special Conditions of the Contract).
47. All the clarifications sought from the bidders / suppliers on technical specifications of the products or otherwise shall be promptly submitted in a transparent and unambiguous manner.
48. Terms & Conditions of the tender documents can't be negotiated for variation without obtaining prior approved of Govt.
49. Entire tender document, duly filled in, shall be treated as part of the contract agreement for supplies in case of the successful bidders and shall be submitted in original.
50. All the disputes shall be subjected to the jurisdiction of Civil Courts situated at Cuttack.
51. The bidders shall submit all required documents along with tender. Under no circumstances a bidder would be allowed to make any addition / alternation in any document related to tender or to submit required documents after receipt of tender by the tender calling authority.



TENDER CALL NOTICE NO. 01/2018-19  
DIRECTORATE GENERAL OF F.S,HGs & C.D, ODISHA,CUTTACK

52. Deduction of tax at source shall be made at the appropriate rate in the applicable case where the total value of supplies of taxable goods or services or both, under a contract where total values of such supplies exceeds Two lakh and fifty thousand rupees.
53. Any objection / suggestion / complaint by any bidder with regard to tender shall be intimated in writing to the tender calling authority. The Chairman/Members of Technical/Purchase Committee would not entertain any correspondence / discussion in the above matter.

**Seal & Signature of Bidder.**

**I.G of Police, F.S, H.Gs & C.D,  
Odisha, Cuttack  
(Tender Calling Authority)**

**SPECIAL CONDITIONS OF THE CONTRACT**

**Tender Call Notice No. 01/2018-19**

**Tender Document No. III**

<<<<>>>>

1. The Special Conditions given here shall prevail over the General Conditions.
2. **Bid Security (E.M.D) :-** The tender document shall accompany with a Earnest Money Deposit (EMD) at the rate noted under col-5 against each item in SI.No.3 below without which the tender shall be rejected. The Earnest Money Deposit should be made available in the form of DD/FDR/Banker's Cheque / NSC / Postal Saving Pass Book in a separate envelop along with the sealed covers of "Technical" and "Financial" bids. However, local MSEs registered in Odisha with respective DICs, Khadi, Village, Cottage & Handicraft Industries, OSIC and NSIC while participating in tenders shall be exempted from payment of Bid Security (Earnest Money).
3. **QUANTITY :-** Sealed bids in this tender document have been invited for the supply of the item listed below. The approximate quantity required has been mentioned against each. Detailed technical specifications of such item is available in the Annexure of "Special Conditions of the Contract" enclosed herewith.

Sl. No.	Name of the Clothing items	Approximate Quantity	Technical Specification	E.M.D Value (in Rs.)
1	2	3	4	5
1.	Maroon Lanyard (Braided)	17675 Nos.	Annexure-B	Rs.10,605/-
2.	OHG white Metal Cap Badge	2360 Nos.	Annexure-B	Rs.420/-
3.	OHG White Metal Letters	2468 Prs.	Annexure-B	Rs.691/-
4.	Hackles (B/W)	5000 Nos.	Annexure-B	Rs.880/-
5.	Brown Nylon Belt with Belt Plate and OHG Logo	8838 Nos.	Annexure-B	Rs.23,685/-
6.	White T.C. Cloth	255 Mtrs.	Annexure-B	Rs.765/-
7.	Oxford Shoe Brown (PU Sole)	899 Prs.	Annexure-B	Rs.13,449/-
8.	Jungle Boot (PU Sole)	4337 Prs.	Annexure-B	Rs.32,180/-
9.	P.T.Shoe (White)	340 Prs.	Annexure-B	Rs.1,700/-
10.	Brown colour leather belt with belt plate and OHG Logo	2000 Nos.	Annexure-B	Rs.10,000/-
11.	Name Plate for Home Guards	8838 Nos.	Annexure-B	Rs.4,419/-
12.	P.T.Vest (White)	340 Nos.	Annexure-B	Rs.612/-
	<b>Name of the Ceremonial Equipment items</b>			
1 (i)	Pagari	1690 Nos.	Annexure-B	Rs.18,590/-
(ii)	Scarf	1690 Nos.	Annexure-B	Rs.2,704/-
(iii)	Kamar Patti	1690 Nos.	Annexure-B	Rs.6,760/-
(iv)	Shoulder Strap	1690 Nos.	Annexure-B	Rs.3,042/-
(v)	Woolen Sash (Maroon Colour)	1690 Nos.	Annexure-B	Rs.2,873/-
2.	White Cotton Long Gloves	1690 Nos.	Annexure-B	Rs.1,521/-
3.	White Anklet	1690 Nos.	Annexure-B	Rs.2,704/-

**TENDER CALL NOTICE NO. 01/2018-19**  
**DIRECTORATE GENERAL OF F.S,HGs & C.D, ODISHA,CUTTACK**

4. The quantities mentioned above are subject to variations. The rates quoted by the firms shall continue to be valid even if the quantities of items mentioned above are varied. Further the bidder (s) should certify that the rates quoted by it for any item (s) listed above shall remain valid subject to variation in any Govt. Tax Structure on the same (i.e the base price of the item quoted shall remain valid irrespective of variation in the tax structure) for a period of one year from date of finalization of rate by the Purchase Committee.
5. It shall not be necessary to bid for all the items mentioned above. The firms / companies may bid for one or more of the items depending on their convenience and submit Bid security (E.M.D) accordingly. The items above do not necessarily consist of a single piece of item. It may be composition of inter-connected or inter-related appliances. Bidding is not permitted for the components obtained by splitting an item. Bidding is also not permitted for a part of the quantity of an item indicated above.
6. If any item consists of different components, the bidder shall have to quote price for each component separately in the Financial Bid in the prescribed format enclosed in the Tender document, if any.
7. The bidder shall submit along with this tender document a list of names, complete addresses. Telephone/FAX numbers of the customers to whom, the items, for which the bid has been submitted, have been supplied and installed in last three years, if any, A clear unambiguous statement shall be made if an item has not be sold anywhere in India so far.
8. The supplies shall be delivered to the authorities at the place indicated below.

<b>Type of items</b>	<b>Name of the Authority with address</b>	<b>Quantity</b>
Centrally Purchase Items (All items)	I.G. of Police, F.S, HGs & C.D Odisha, Cuttack, 3 <sup>rd</sup> Floor Vigilance Directorate At - Nuapatna, Po - G.P.O, Buxi Bazar, Cuttack Dist-Cuttack, Odisha, Pin - 753 001 Phone / Fax - 0671-2303387 Mail ID- cghomeguardsodisha@gmail.com	As per supply order
Decentralized items	Different District Commandant Home Guards	As per supply order

9. The working of the equipment shall be demonstrated successfully after its installation and its performance parameter checked to the satisfaction of the user. The expenses incurred on demonstration shall be borne by the supplier.
10. The supplier shall organize adequate training to acquaint the employees of the Organization regarding operation of the equipment in their own cost.

TENDER CALL NOTICE NO. 01/2018-19  
DIRECTORATE GENERAL OF F.S,HGs & C.D, ODISHA,CUTTACK

11. **Performance Security :-** The successful bidder shall have to enter into an agreement with the Tender Calling Authority for successful completion of supply / installation of the tendered items after proper inspection within stipulated period and also for comprehensive performance warrantee of all the items from the date of supply / installation are up to a period of 1(One) year. In this regard the bidder has to furnish the security deposit to be called "Performance Security" at the rate of 5% of the total amount of the order excluding all taxes in the form of NSC/Post Office Savings Bank A/c / FDR / Bank Guarantee from any nationalized bank duly pledged in favour of Tender Calling Authority. However, the local MSE bidder, if selected, shall be required to pay 25% of the value of performance security.
12. Notwithstanding anything contained in the General Conditions of contract a new / fresh brand of product / equipment not tried, tested and used in Odisha Fire Service, Home Guards & Civil Defence Organisation may be accepted subject to meeting the prescribed technical specification and approval of Technical Committee.
13. All the supplies made shall be subject to a minimum period of warrantee of 1(One) year.
14. The supplier shall repair or replace at his cost any component of the supplies that may go out of order during the warranty period. The repair and replacement shall as far as possible be carried out within the premises, where the equipment has been installed. If however, it is necessary to take the equipments to the workshop of the supplier, it must be repaired and re-installed successfully in its premises within 48 hours counted from the time service call is placed. Failing so, replacement equipment in working condition shall be supplied till return of the equipment.
15. If an equipment or supply goes out of order within the warranty period and the supplier is informed about it, it must be attended to within 48 hours counted from the time service call is placed.
16. Pre-delivery inspection : Not required.
17. **PAYMENT :-** No advance payment shall be made. 100% of the payment will be made on delivery of supplies, successful installation and demonstration subject to clause 9 & 10 above.

TENDER CALL NOTICE NO. 01/2018-19  
DIRECTORATE GENERAL OF F.S,HGs & C.D, ODISHA,CUTTACK

18. **Sample:** - The tender shall accompany samples of the items quoted. No rate shall be quoted without furnishing the sample. In case the rates are quoted without samples, the tender is liable for rejection. The parcel containing samples should be freight paid. A label with seal and the details of manufacturing unit/ company with trademark of the articles so tendered, if any should be affixed to the sample. The label should contain a reference to the serial number of the articles quoted/ indicated in the tender. The cloth sample should not be less than 2 Mtrs. (200 cms) in length. ***For each item not more than 2(two) variety of samples shall be submitted by any vender.***
19. The bidders of Odisha will have to submit the GST Registration Certificate issued by the competent authority of Odisha along with the GST returns (GSTR-3B and GSTR-1) filed for the last tax period. Similarly the bidder from outside state will submit the GST Registration Certificate, copy of GST returns of last tax period and the affidavit enclosed as Annexure - D at the time of submission of tender.
20. The selected Tenderers will have to enter into an agreement with the Tender Calling Authority. The agreement bond form duly filled in indicating the amount of "Performance Security" at the required rate as mentioned above and signed by the Tenderer with the attestation and common seal affixed with special adhesive stamp **(Non-Judicial) not less than worth of Rs.10/-(Rupees Ten) only should be submitted within 15 days on receipt of information from Directorate General of FS,HGs & C.D, Odisha, Cuttack. The first page of the Tender Agreement should be written on non-judicial stamp paper of Rs.10/- if stamp paper of Rs.10/- denomination is not available, a no. of small denomination may be used in that place.**
20. The clothing and equipment shall be conforming to the technical specifications as per Annexure- B.

**TENDER CALL NOTICE NO. 01/2018-19**  
**DIRECTORATE GENERAL OF F.S,HGs & C.D, ODISHA,CUTTACK**

22. The bidder shall indicate make and model of quoted item in Tender Document No. V.
23. As regards ISI marked, the attested copies relating to valid Registration of ISI number of the item, if obtained from Indian Standard Bureau, New Delhi are to be enclosed.
24. In respect of Ceremonial Uniforms the intending bidders shall have to quote for all the items i.e. SI. No. 1(i) to 1 (v) (for Ceremonial Equipment items for Home Guards) separately. Bidders quoting for part of the item shall not be considered.

**Seal & Signature of Bidder.**

**I.G of Police, F.S, H.Gs & C.D,**  
**Odisha, Cuttack**  
**(Tender Calling Authority)**

**TECHNICAL SPECIFICATION OF DIFFERENT TYPES OF CLOTHING ITEMS**

S.L. No.	Name of the items	Technical Specification
1	Maroon Lanyard (Braided)	Lanyard of Maroon colour Braided shaped with swivel for whistle. Length of braided portion should be 45cm and length of plain portion 50cm. Total length shall be not less than 95cm. The braided portion should be minimum 2cm in width and the circumference of the plain portion should be 2cm.
2	OHG White Metal Cap Badge	The Cap Badge should be of brass with nickel chromium plated with a flying dove at the top within two Maple leaves. "Nishkam Seva" in Hindi in small letters at the bottom inside the semi circle frame with wreath and facility to be fixed on the cap. Height of cap badge not less than 4cm, width 3.5 cm and weight shall not be less than 5gms with brass with nickel chromium plated locking pin.
3	OHG White Metal Letters	The letters OHG should be of brass with nickel chromium plated of size 3.5 cm to 3.7 cm in length and 1.2 cm to 1.5 cm in breadth with facility to be fixed on the shoulder flap. Weight shall be not less than 5gms with brass with nickel chromium plated locking pin.
4	Hackles (Black and White)	Black & White Hackles with thick foliages suitable to be fixed on Cap Badges (Top-Black). Length of the feather shall be not less than 15cm. Length of feather should be 13cm & iron hook - 2 to 3cm.
5	Brown Nylon Belt with belt plate and Home Guard Logo	Police pattern Nylon belt of Brown colour, size not less than 50" in length and 2" in breadth with adjustable facility, two Brass with Nickel Chromium Plated Buckles and two Brass with Nickel Chromium Plated clips should be provided with a brass with Nickel Chromium Plated rectangular size Belt Plate in oval shape affixed with a OHG Monogram like OHG Cap Badge (White Metal) in the middle portion of the Belt Plate. The Belt Plate size should be 3.5" length and 2.5" breadth. Total weight of a full fledged belt shall be not less than 275 gms. The outer side of belt buckles plate should be Nickel Chromium Plated.

**TENDER CALL NOTICE NO. 01/2018-19**  
**DIRECTORATE GENERAL OF F.S,HGs & C.D, ODISHA,CUTTACK**

S.L. No.	Name of the item	Technical Specification		
6.	White Terry Cotton Cloth	<b>The suiting must be of reputed composite mills with following specifications.</b>		
		<b>1.</b>	BLEND	POLYSTER - 65% COTTON / VI SCOSE - 35%
		<b>2.</b>	WEAVE	1 UP 1 DOWN PLAIN WEAVE
		<b>3.</b>	DYE	VAT + DISPERSE
		<b>4.</b>	SHADE	WHITE SHADE (to be supplied as specified by Odisha Police)
		<b>5.</b>	COUNT	2/28 Ne
		<b>6.</b>	WIDTH	150 cm
		<b>7.</b>	WASHING FASTNESS CHANGE IN SHADE	4 - 5
		<b>8.</b>	WASHING FASTNESS STAINING	5
		<b>9.</b>	LIGHT FASTNESS CHANGE IN SHADE	4 - 5
		<b>10.</b>	EPCM	26
		<b>11.</b>	PPCM	22
		<b>12.</b>	GSM	210
		<b>13.</b>	TENSILE STRENGTH (For samples size of 5cm x 20cm)	WARP WAY - 90 KGF WEFT WAY - 66 KGF
		<b>14.</b>	CREASE RECOVERY ANGLE	240 degree (FOR WARP + WEFT BOTH BACK & FACE)
		<b>15.</b>	DRAPE CO-EFFICIENT	0.4
<b>16.</b>	TOLERANCE LIMIT AND METHODS OF TESTING AS FAR AS APPLICABLE	AS PER IS NO. 15853 : 2009 OR LATEST		

"Odisha Home Guard" should be woven on the selvage of the fabric.

The supported specification on sample should be certified by a NABL accredited a laboratory of the country like Textile Committee (Kolkata), ATIRA, BTRA, SI TRA, NTRA etc.



TENDER CALL NOTICE NO. 01/2018-19  
DIRECTORATE GENERAL OF F.S,HGs & C.D, ODISHA,CUTTACK

**7. OXFORD SHOES BROWN (PU SOLE) :-**

1. Oxford leather Direct Injected P.U.Sole Shoes in sizes 5 to 11 (English System) or in sizes 39 to 44 (French System)

1.1 The shoes should be made from Chrome tanned corrected grain leather upper, lined with cambrelle to absorb perspiration. The shoes are manufactured with elevated P.U.Soles with anti slip design by Direct Injection Process only.

**2. STANDARD PATTERNS**

2.1 The standard pattern of shoes shall be oxford type with leather upper, Direct **Injected** sole

**3. MATERIAL**

3.1 The shoes shall be manufactured from the following materials :-

i) Leather chrome tanned for upper brown (Buff / Cow) - The requirements are corrected grain for direct injection process.

ii) Cambrelle for lining -

Thread Nylon - Nylon thread 3 ply having min. breaking strength of 3.5 kg.

Eyelets Aluminum / brass, Decimeter black for shoes- Laces

Nylon Min. / 70 cm (min.) long for shoes -

Polyurethane Sole.

**4. MANUFACTURE:-**

4.1 The shoes shall be manufactured as described below :-

4.1.1 The shoes shall be made by direct injection process (DIP construction) using standard last having G/H- fitting.

4.1.2. Design

4.1.2.1 The shoes shall be oxford type with stroble construction with direct Injected PU sole. A full tongue shall be completely lined.

4.1.2.1. Shape of Components.

4.1.2.1.2 The pattern of the quarters, outside counter, vamp lining, toe cap and toe puff shall be so designed that these do not form excessive pleats at "toe" and " Counter" regions during lasting.

4.1.3 cutting of Components

4.1.3.1 The various upper and bottom components of leathers shall be cut from the material and to the thickness as prescribed in Appendix-A3. All components shall be free from serious grain damage, flay cuts and other defects. Care shall be taken that all parts, forming the upper are cut so that the lines of tightness of the leather are in the direction from heel to toe.

**5. UPPER CLOSING**

5.1.4.1 The upper shall be attached / closed on lock stitch machine

using nylon thread for Counters, back and tongue joint with vamp and for remaining position equivalent spun polyester thread can also be used for stitching shall be 20 to 32 per decimeters. Care shall be taken to maintain the space and uniform tension of the stitching at all places.

5.1.4.2 The joined top of the quarters shall be carefully strengthened by means of leather strip from outside

5.1.4.3 Two rows of stitching shall be used at the toe cap and counter and two rows at the sides.

5.1.4.4 The toe puff shall be stitched with second row of toecap stitching. All loose ends of the upper stitching shall be secured properly.

**TENDER CALL NOTICE NO. 01/2018-19**  
**DIRECTORATE GENERAL OF F.S,HGs & C.D, ODISHA,CUTTACK**

- 5.1.4.5 The full tongue shall be so fitted that no wrinkles / step occur where it is joined to vamp.
- 5.1.4.6 Five eyelets shall be fitted in each quarter facing. The eyelet shall be clinched with washer without distortion. The top eyelet shall positioned at a distance of min. of 10 mm from the top line of the quarter and rest shall be equally spaced.
- 5.1.5 Pasting
- 5.1.5.1 Pre moulding of toe and counter (thermoplastics) shall be done before pasting. Moulding upper shall be stitched by stroble cloth all around ensuring that there is no wrinkle in the stitching area. Care should be taken to match storable stitching with upper notches so that upper is straight.
- 5.1.5.2 The upper shall be properly laced up to the fourth eyelet before lasting so that the quarters remain in proper alignment on the instep.
- 5.1.5.3 In the lasting operation the upper and the insole shall not be wetted or damped too much to show any water spotting or to make grain pattern of upper leather disappear.
- 5.1.5.4 The shoe shall remain on the last long enough to ensure proper shapes of the upper and adequate setting of the shoe.
- 6.1 The mass of one pair of finished shoes of size 8 shall not exceed 800gm with an increase or decrease of 75gm for each bigger or smaller size respectively.
- 6.2 Dimensions of shoes will be as under : the back height and depth of toecap for size 8 will be  $70 \pm 2$  mm  $55 \pm 5$ mm. these dimensions will increase and decrease by 2 mm and 5 mm per size respectively.
- 6.3 The thickness of sole in finished condition shall be as under :-

Sl.No.	Description	Thickness (mm)
1	At forepart	7 (min.)
2	At waist	6 (min.)
3	At heel	20 (min.)
4	Depth of cleat at sole & heel	2 (min.)

7. Hydrolysis test - The sole shall be placed in High Humidity (100%) at a temperature of 72°C for 5 days and they tested for SATARA Bata sole flexing for 50,000 cycles. No crack or damage to the footwear is acceptable.
8. The shoes shall be delivered in new, dry and clean conditions.
9. **Marking :-**  
The outsole of the shoe must be Embossed / Engraved with the manufacture's name or his recognized trade mark, size month and year of manufacture.
10. **Packing :-** Each pair of shoes shall be packed in individual boxes to prevent damage.

**THICKNESS OF COMPONENTS**

Sl. No.	Components	Material	Thickness	
			Min	Max
1	Quarter	Chrome tanned upper leather	1.1	1.5
2	Vamp	Chrome tanned upper leather	1.1	1.5
3	Toe Cap	Chrome tanned upper leather	1.1	1.5
4	Outside counter	Chrome tanned upper leather	1.1	1.5
5	Full tongue	Chrome tanned upper leather	1.0	1.5
6	Back Strengthening Piece	Chrome tanned upper leather	1.0	1.5
7	Full in sock	Buff Spilt leather	0.7	0.9
8	Lining	Cambrelle lining	0.7	0.9
9	Insole	Stroble canvas	1.2	1.5
10	Counter Stiffener	Thermoplastic material	1.0	1.3
11	Toe puff	Thermoplastic material	0.60	0.80

**TENDER CALL NOTICE NO. 01/2018-19**  
**DIRECTORATE GENERAL OF F.S,HGs & C.D, ODISHA,CUTTACK**

S.L No.	Name of the item	Technical Specification
8	Jungle Boot (PU Sole)	<ol style="list-style-type: none"> <li>1. The upper shall consist of water repellent (On Visual inspection Minimum Rating 80 in the water repellency test as per IS 390 : 1975) Polyester Viscose fabric conforming to the requirements given in annexure B as an outer layer and 100% non woven nylon (cambrille type) lining conforming to the requirements given in annexure C as an inner layer or lining. The two fabrics shall be firmly adhered together with flexible adhesive &amp; polyurethane foam of 5 mm thickness. Inside counter lining shall be of upper material. The colour / shade of upper used shall be Olive green.</li> <li>2. Binding Materials : Polyester Black binding.</li> <li>3. Toe Puff, Counter : For toe puffs and stiffeners well struck thermo plastic toe puff &amp; stiffeners of minimum thickness 1.5mm &amp; 2 m respectively shall be used.</li> <li>4. Eyelets : Aluminum Eyelets conforming to IS : 5041 - 1978</li> <li>5. Insole : Insole will be non-woven polyester fabric conforming to IS : 15298 (Part 2) with suitable treatment for providing antistatic properties.</li> <li>6. In sock : Each boot shall be provided with a detachable 4.0 mm + 1.0 mm thick full insock of compress moulded EVA rubber having instep arch support. The outer layer of the insock shall be covered with Cambrelle type of drill cloth material in black colour.</li> <li>7. Laces : Each pair of boots shall be provided with a pair of Nylon Black laces of 130 cm long having minimum mass of 100gms per 10 pairs.</li> <li>8. Outsole : Shall be Polyurethane (PU) sole having anti-slip design moulded directly. The design and pattern of PU Sole shall be similar to tread design of sole in shown in fig. 2 for reference.</li> <li>9. Mass : The Mass of one pair of finished boots of size 8 shall be in the range 750 gms to 850g with an increase or decrease of 50 gms for each bigger of smaller size respectively.</li> <li>10. Leg Height : The leg height of the boots when tested in accordance with IS : 15298 : Part 1 shall be 160+2 mm for Size 8 with an increase or decrease by 2.0 mm for each bigger and smaller size. The leg height of the pair shall be equal.</li> <li>11. Upper / Outsole Bond Strength When these boots are tested in accordance with the method given in IS : Page 26 to 47 15298 Part-1, the bond strength shall be no less than 4.0 N/mm.</li> <li>12. Electrical Resistance When measured in accordance with the method described in IS : 15298 part 1 after conditioning in a dry and wet atmosphere the electrical resistance shall be <b>not less than 100 kΩ and not greater than 1000 MΩ</b> .</li> <li>13. Energy absorption of seat region When footwear is tested in accordance with the method described in IS : 15298 Part - 1, the energy absorption of the seat shall be not less than 20 J.</li> <li>14. Heat insulation of sole complex When footwear is tested in accordance with the method described in IS : 15298 Part -1, temperature increase on the upper surface of the insole shall be not greater than 220C.</li> <li>15. Cold insulation of Sole complex When footwear is tested in accordance with the method described in IS : 15298 Part-1, the temperature decrease on the upper surface of the insole shall be not more than 100C.</li> <li>16. Hydrolysis Test The boots shall be placed in High Humidity (100%) at a temperature of 700C for 5 days and then tested for whole shoe flexing for 100000 cycles. No crack of damage to the sole is acceptable.</li> </ol>

**TENDER CALL NOTICE NO. 01/2018-19**  
**DIRECTORATE GENERAL OF F.S,HGs & C.D, ODISHA,CUTTACK**

S.L. No.	Name of the item	Technical Specification										
9	P.T.Shoe (White)	<p>1. Upper Material : Upper PU Coated fabric of thickness <math>1.4 \pm 0.1</math> mm with mesh (Gallop) laminated with 4mm foam &amp; knitted fabric (Tricot).</p> <p>2. Quarter / Counter – White Heavy rock port laminated with 04 mm foam &amp; Tricot.</p> <p style="padding-left: 20px;">i. Collar Foam – PU Foam of <math>15 \pm 1</math>mm thick.</p> <p style="padding-left: 20px;">ii. Tongue Foam – PU Foam of <math>6 \pm 1</math>mm thick, 23 density.</p> <p>3. i. Toe Puff – Thermoplastic stiffener of <math>0.8 \pm 0.2</math> mm.</p> <p style="padding-left: 20px;">ii. Counter Stiffener – Thermoplastic stiffener of <math>1.2 \pm 0.2</math> mm</p> <p>4. i. Lace – 06 mm oval lace. White Nylon / Polyester</p> <p style="padding-left: 20px;">ii. 2 Eyelet – Eyelet Holes.</p> <p style="padding-left: 20px;">iii. Loop – 12 mm (min.) Navy blue polyester</p> <p style="padding-left: 20px;">iv. Rib – 15mm(min.) Navy Blue Polyester</p> <p style="padding-left: 20px;">v. Counter Reinforcement – Non Woven (Thickness – <math>1.0 \pm 0.1</math>mm) &amp; Eva material Thickness (<math>2.5 \pm 0.2</math> mm)</p> <p>5. Sport Footwear shall be such that it would bend easily from foot to toe and shall retain its original shape immediately after release of force.</p> <p>6. <b>Collar and Tongue</b> :- The collar with PU Foam (density (50kg/m<sup>3</sup>) and tongue with PU foam density 23kg/m<sup>3</sup>.</p> <p>7. <b>In-Socks</b> :- In socks with arch cushion will be provided with blown EVA material having lamination of knitted fabric at the foot / comfort side with suitable adhesive. Total thickness of in socks should be 4 mm minimum.</p> <p>8. Insole :- Insole – Strobel – Thickness <math>1.0 \pm 0.1</math> mm</p> <p>9. Sole :- i. Mid Sole – Moulded EVA (Phylon) – White Colour</p> <p style="padding-left: 20px;">ii. Outer Sole – Rubber Blend of natural &amp; Synthetic Rubber- Black Colour.</p> <p>10. <b>Soiling Pattern</b> :-</p> <p style="padding-left: 20px;">i. The design should be such that the sole will have adequate skid resistance with cleat height of min 1 mm.</p> <p style="padding-left: 20px;">ii. The Mid-sole shall be of wedge type with minimum thickness of 18mm at heel and 8 mm at toe break.</p> <p style="padding-left: 20px;">iii. Rubber outsole of minimum thickness of 2 mm extending up to toe up.</p> <p>11. <b>Size &amp; Fitting</b> :- The shoe shall be made using broad toe last of “H” fitting as per IS : 1638 :1969 table 1.</p> <p>12. <b>Construction</b> :- An insole shall be present in such a way that it cannot be removed without damaging the footwear.</p> <p>13. <b>Back Height</b> :- <math>75 \pm 2</math>mm for size 8 with an increase or decrease of 2mm per size.</p> <p>14. The mass of one pair of finished shoes of size 8 shall not exceed 650 gms <math>\pm 2.5\%</math> with an increase or decrease of 60 gm bigger or smaller size respectively.</p> <p>15. <b>Marking</b> :- The outsole of the shoe must be embossed / engraved with the manufacturer’s name or his recognized trade mark, size, month and year or manufacturing.</p> <p>16. <b>Packing</b> :- Each pair of shoes shall be packed in individual boxes to prevent damage.</p> <p>17. <b>Testing Parameters</b> :- As per relevant Indian Standard Specifications.</p> <p style="text-align: center;"><b>Upper Material - Synthetic</b></p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: center;">Sl. No.</th> <th style="text-align: center;">Characteristics</th> <th style="text-align: center;">Conditions, if any Requirements</th> <th style="text-align: center;">Requirements</th> <th style="text-align: center;">Method of test</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">1.</td> <td style="text-align: center;">Flexing endurance, no damage to film or upper</td> <td style="text-align: center;">Dry</td> <td style="text-align: center;">1,50,000</td> <td style="text-align: center;">IS 5914, LP :19 and SATARA TM 55</td> </tr> </tbody> </table>	Sl. No.	Characteristics	Conditions, if any Requirements	Requirements	Method of test	1.	Flexing endurance, no damage to film or upper	Dry	1,50,000	IS 5914, LP :19 and SATARA TM 55
Sl. No.	Characteristics	Conditions, if any Requirements	Requirements	Method of test								
1.	Flexing endurance, no damage to film or upper	Dry	1,50,000	IS 5914, LP :19 and SATARA TM 55								

**TENDER CALL NOTICE NO. 01/2018-19**  
**DIRECTORATE GENERAL OF F.S,HGs & C.D, ODISHA,CUTTACK**

	Material till prescribed cycles Min.	Hydrolysis	1,25,000	
2.	Breaking Strength, Kg/25MM Min.		18	IS 7016 (Part-II) And SATARA TM 29
3.	Elongation at break, percent, Min		15	
4.	Tear Strength, Kgf, Min		4.0	Method A2 of IS 7016 (Part-III) and SATARA TM 30
5.	Colour Fastness, Crocking, rating Min.	Dry	Rating-3	IS 6191, LF : 10 and SATARA TM 167
		Wet	Rating-3	
6.	Fastness to artificial light (Xenon Lamp), grey scale rating Min		Between 3 and 4	ISO 105-BO2

Hydrolysis of (Upper) test condition should be as per ISO 5423

**Quarter Lining**

Property	Test Method / Clause	Minimum Requirement
Tear	IS 15298 Part-1	Min. 15 N
Tear Strength	IS 15298 Part -1	Water Vapour Permeability shall not be less than 2 mg per cm square per hour and the water vapour coefficient shall not be less than 20 mg per CM <sup>2</sup>
Abrasion	IS ; 15298 Part - I	Day- No damage till 256000 Cycles Wet - No damage till 12800 Cycles

**Midsole** : the midsole material used in the Sports footwear shall conform to various requirement prescribed in Table depending on the type of material. Specific gravity 0.35 (max) and hardness shall be 45 ± 5 Shore- A.

**Midsole Material - Ethylene Vinyl Acetate (EVA)**

Sl. No	Characteristics	Requirements	Method of test
1	Split Tear Strength, Kg/25mm, Min	3.0	SATARA TM 65
2	Tear Strength, Kg/cm, min	9.0	IS 3400 (Part-XVII) and SATARA TM 218
3	Compression Set, Percent, Max	55	SATARA TM 65

**Outsole** :- The outsole material used in the Sports Footwear shall conform to various requirement prescribed in Table depending on the type material. Specific gravity 1.2 (max) and hardness shall be 65± 5 Shore-A.

**Outsole Material - Rubber**

Sl.No	Characteristics	Requirements	Method of test
1	Trouser Tear Strength Kg/cm, min	12	SATARA TM 218
2	Abrasion Resistance MM <sup>3</sup> , max	200	Clause 4.8.4 of IS 15298 (Part-1), SATARA

TENDER CALL NOTICE NO. 01/2018-19  
DIRECTORATE GENERAL OF F.S,HGs & C.D, ODISHA,CUTTACK

S.L. No.	Name of the item	Technical Specification
10.	Brown Colour Leather Belt with Belt Plate and Home Guard Logo	<p>The belt shall be good quality leather and Brown in colour. The size will be 50" in length and 2" in width with adjusting facility. A brass with nickel chromium plated curved rectangular shape belt plate to be affixed with a OHG monogram like OHG Cap Badge in the middle portion of the plate. The belt plate size not less than 3 ½" length and 2 ½" breadth. One adjustable Brass with nickel chromium plated Buckle, 2 leather rings (around the belt) shall be provided in Brown Colour for adjustment of the belt along with a Brass with nickel chromium plated ring and pin for adjustment of the belt as per the holes.</p> <p>Besides, a leather support shall also be provided below the curved rectangular shape Belt Plate and it should be suitably stitched / affixed with a supporting leather ring around the belt. Good quality nylon threads (brown colour) shall be used for stitching the belt at upper and lower portion of the belt.</p>
11.	Name Plate	<p>It should be a double layer name plate, lower one being white and upper one black so that a white boarder line can be seen prominently. Length of the plate 8cm, breadth 2cm and name should be engraved in usual letters in white colour in English base (Plastic) plate (first letter of the name, middle name and surname should be in capital letters). Home Guard should be written under the name. All letters are in bold.</p>
12.	P.T.Vest (White)	<p>White Cotton P.T.Vest plain knitting of reputed brand conforming to BI S/ISI standard.</p>

----- 0 -----

**TECHNICAL SPECIFICATION OF DIFFERENT TYPES OF CEREMONIAL EQUIPMENT**

**ITEMS**

S.L. No.	Name of the items	Technical Specifications
1.(i)	<b>Pagari</b>	<p>The dimension and width of the colour bands need to be standardized to maintain uniformity of the Ceremonial Uniform. The maroon, gold and yellow stripes should be of approximately 1.5 cm width in the same order cloth of repetition on one side while the other one should have blue cloth lining only. The top half of the Pagari should have maroon cloth lining while the other half should have the combination of maroon, gold and yellow. The Pagari should have a conical god top with gold tassel. The hackles should be combination of all three colours in the same order of repetition. One OHG embroidery badge made on maroon woven cloth should be affixed in the Pagari with the support of a metal pin. Height of Badge : 6.5 cm, Width : 6 cm. Height of Flying Dove : 2.5 cm and the olive branches shall be circumscribed within a diameter of 5 cm. Bottom of the olive branches "Nishkam Seva" should be embroidered in Hindi script. The word OHG shall be written within the olive branches with 1 cm height and 2 cm width below "Flying Dove". Both OHG and "Nishkam Seva" written in Golden Colour yarn. OHG should be written with navy blue back ground. Both Flying Dove &amp; olive branches shall be embroidered in Golden and Black yarn.</p>
(ii)	<b>Scarf</b>	<p>The Scarf made up silk fabric should have maroon, gold and yellow strips in repetition, each approximately 1.5 cm in width. Height of the Scarf including neck strip 35 cm, width of the Scarf without neck strip 18 cm, Length of the neck strip 50 cm, width of the neck strip 6 cm. The scarf should be of two layer. The back side of the scarf is stitched with smooth cotton cloth. A white colour Velcro not less than 7 cm in length &amp; 2.5cm in width should be stitched in the neck strip for adjustment of neck size.</p> <p>One OHG embroidery badge made of red non woven cloth should be stitched on the Scarf. Height of Badge : 5 cm, Width : 4 cm, Height of Flying Dove : 2 cm and the olive branches shall be circumscribed within a diameter of 3.5 cm. Bottom of the Olive Branches "Nishkam Seva" should be embroidered in Hindi script. The word "OHG" shall be written within the olive branches with 0.5 cm height and 1.5 cm width below "Flying Dove". Both OHG and "Nishkam Seva" embroidered in Golden colour yarn. OHG should be written with navy blue back ground. Both Flying Dove and Olive Branches shall be embroidered in Golden &amp; Black yarn.</p>

TENDER CALL NOTICE NO. 01/2018-19  
DIRECTORATE GENERAL OF F.S,HGs & C.D, ODISHA,CUTTACK

S.L. No.	Name of the items	Technical Specifications
(iii)	<b>Kamar Patti</b>	<p>The Kamar Patti should be made up silk fabric colour combination of the Kamar Patti should be maroon, gold and yellow in repetition and each approximately 1.5 cm in width. Length of the Kamar Patti should be 125 cm, Width of the same should be 13 cm. The kamar patti should be of 3 layers. The lower part is of red Terri cotton cloth and the middle part is good quality buckram. Two nos white colour Velcro not less than 2.5cm width &amp; 11cm length will be stitched in the both side [one side in lower and another side in upper] to adjust the waist size. One jhaller of length 30 cm (without fringes) &amp; width 12 cm should be provided. Golden fringes, length of minimum 6 cm should be stitched on the lower part of the jhaller.</p> <p>One OHG embroidery badge made of red non woven cloth should be stitched on the jhaller part. Height of Badge : 6.5 cm, Width ;6 cm, Height of Flying Dove : 2.5 cm and olive branches shall be circumscribed within a diameter of 5 cm. Bottom of the Olive Branches "Nishkam Seva" should be embroidered in Hindi script. The word OHG shall be written within the olive branches with 1 cm height and 2 cm width below "Flying Dove". Both OHG and "Nishkam Seva" embroidered in Golden Colour yarn. OHG should be written with navy blue back ground. Both Flying Dove &amp; olive branches shall be embroidered in Golden &amp; Black yarn.</p>
(iv)	<b>Shoulder Strap</b>	<p>Maroon colour shoulder strap of 17 cm long, width 6.5 cm at edge of the shoulder, on which the shoulder badge will be affixed and 5.5 cm at the other end i.e. toward neck. One O.H.G shoulder badge of brass with nickel chromium plated of size 4 cm in length &amp; 1.5 cm in width shall be affixed with brass pin in one side [i.e. towards shoulder]. A brass with nickel chromium plated OHG coat button [Big size] should be affixed with brass ring on another side which is towards neck. The shoulder strap shall be conical and pointed towards neck. The material should be made of maroon nonwoven Cloth &amp; the lower side is pasted with good quality buckram. A white colour of Velcro of minimum size ½" in width and 5" in length should be stitched so that the strap can be adjusted accordingly as per requirement. The workmanship of the strap should be of better quality.</p>
(v)	<b>Woolen Sash (Maroon Colour)</b>	<p>Maroon colour woolen sash made up twill woven fabric of minimum 3" width, minimum 66" length, 7" fringe at each end of good quality weaving. A band of ¾" in width &amp; 4" in circumference is used for festering.</p>



TENDER CALL NOTICE NO. 01/2018-19  
DIRECTORATE GENERAL OF F.S,HGs & C.D, ODISHA,CUTTACK

S.L. No.	Name of the items	Technical Specifications
2.	<b>White Cotton Long Gloves</b>	White Cotton Long Gloves not less than size 24" in length with Interlocked stitching.
3.	<b>White Anklet</b>	White Cotton Anklet not less than in length-13", Width-7" having a Golden stripe Velcro, One elastic should be provided to be affixed on the boot. One soft Nylon rope having length-24" must be provided upper size of the Anklet for tie with the leg.

TENDER CALL NOTICE NO. 01/2018-19  
DIRECTORATE GENERAL OF F.S,HGs & C.D, ODISHA,CUTTACK

**ANNEXURE - C**

**Check List of documents to be enclosed to  
General Bid Form**

**(Reference Sl. 23 of General Conditions of contract)**

SI.No.	Reference SI.No. General conditions of contract	Nature and Type of document	Whether enclosed (with page reference)	
			Yes / No	Page Ref
<b>1</b>	<b>2</b>	<b>3</b>	<b>4</b>	
I	<b>1</b>	Proof of OEM (i.e. Certificate issued by Industries department, GST authorities, Registrar of companies) / Authorized Agent of OEM (i.e. Certificate issued by the OEM)		
II	<b>12</b>	Promotional and Technical literature relating to the items tendered		
III	<b>17</b>	Valid Registration Certificate issued under GST Act and Income Tax Acts by competent Authorities		
IV	<b>18</b>	IT Returns, copy of last GST returns filed, Balance Sheet, P/L a/c and trading a/c (All document mentioned above must relate to the previous year i.e. 2017-2018) and PAN Card.		
V	<b>20</b>	a) Copy of GST Registration Certificate. b) Affidavit in prescribed format by the suppliers of outside Odisha declaring that they have no business in Odisha nor they have any OGST liability ( <b>Annexure -D</b> ).		
VI	<b>21</b>	EMD of Rs._____ in shape of BD/BC/NSC/FDR/Postal Savings Pass Book		
VII	<b>22</b>	Technical bid (i.e. Tender Document No. V) & Financial Bid (i.e. Tender Document No. VI) should be separately sealed in two covers and over them it should be clearly mentioned as Technical / Financial Bid with name of the firm and Signature of the Bidder.		
VIII	<b>36</b>	Proof of past performance regarding supply of tendered item to Government organization / PSUs i.e. copies of supply order/sale invoice (as per <b>Annexure - "E"</b> in line with special condition of Contract Sl. No. 6).		
IX	<b>45</b>	Undertaking to supply spare parts for maintenance of items for 10 years if selected for supplying the tendered item.		

**Seal & Signature of the Bidder**

TENDER CALL NOTICE NO. 01/2018-19  
DIRECTORATE GENERAL OF F.S,HGs & C.D, ODISHA,CUTTACK

**ANNEXURE - D**

**PROFORMA FOR SUBMISSION OF AFFIDAVIT IN RUPEES OF TEN OF INDIA NON JUDICIAL STAMP PAPER BY THE FIRMS WHO ARE NOT REGISTERED UNDER ODISHA GST ACT.**

---

I \_\_\_\_\_, Aged \_\_\_\_\_ About \_\_\_\_\_ years

Son of Sri \_\_\_\_\_, the proprietor \_\_\_\_\_ of M/s

\_\_\_\_\_ do hereby solemnly affirm and declares as under :-

1. That I am the deponent of this affidavit.
2. That I do hereby declare that I have not been registered under the Odisha GST Act and have not started any business in the State of Odisha till yet & we have no liability under the Odisha GST.
3. I am a registered dealer of the \_\_\_\_\_ State having GST No. \_\_\_\_\_ and I am enrolled under the State / Central GST authority of \_\_\_\_\_ (place). I am authorized to deal in the \_\_\_\_\_, \_\_\_\_\_, \_\_\_\_\_, \_\_\_\_\_ items (quoted).
4. That I swear this affidavit to be produced before the concerned authority for future reference and record.
5. That the facts stated above are true to the best of my knowledge and belief and nothing has been concealed thereon.

Identified

Advocate

Deponent

The above named deponent being identified by Shri \_\_\_\_\_ Advocate \_\_\_\_\_ solemnly affirm and states before me that the contents of this affidavit are true to the best of his knowledge.

Dt.

Notary : \_\_\_\_\_  
(With Seal Stamp)

TENDER CALL NOTICE NO. 01/2018-19  
DIRECTORATE GENERAL OF F.S,HGs & C.D, ODISHA,CUTTACK

**ANNEXURE - E**

**Check List of documents to be submitted with General Bid form  
(as per special Conditions of Contract)**

Sl.No.	Reference Sl.No. Special condition of contract	Nature and Type of document	Whether enclosed (with page reference)	
			Yes / No	Page Ref
<b>1</b>	<b>2</b>	<b>3</b>	<b>4</b>	
<b>1</b>	<b>7</b>	List of names, complete address, Telephone numbers of customers to whom the tendered item had been supplied during last 3 years.		

**Seal & Signature of the Bidder**

**GENERAL BID FORM**

**TENDER CALL NOTICE NO.1/2018-19**

**TENDER DOCUMENT NO. IV**

1. Name :  
Address  
Fax No.  
Telephone No.  
E-Mail of the firm
2. Legal status of the firm
3. Items for which you have submitted the Bid
4. For which of the items above you are the ORIGINAL EQUIPMENT MANUFACTURER (OEM)
5. Give the location and Address of your Factory.
6. For the items listed at (3) above and where you have submitted the bid but you are not the O.E.M. indicate against each the names of the O.E.M
7. Kindly confirm by writing 'yes' or 'no' only that you have been authorized by the respective O.E.Ms either as dealer or as sale, supply and servicing agent in respect of the items you are not the (OEM)
8. Which of the items, you have submitted the bids for, will be fully or substantially imported. Indicate the country to be imported from.

TENDER CALL NOTICE NO. 01/2018-19  
DIRECTORATE GENERAL OF F.S,HGs & C.D, ODISHA,CUTTACK

9. Have you enclosed the EMD? If yes, mention the amount and its identifying details.
10. Have you enclosed all the documents and papers called for in this tender document?  
As per Annexure-C (please enclose the documents serially as per above Annexure).
11. If the answer to (10) above is 'No' which is the documents/document have not been enclosed.  
(Kindly enclose a list of such documents/papers).  
(Use a separate sheet of paper if necessary).
12. Do you have a post sales servicing, center in Odisha ? If yes, give its name, full address, Fax and Telephone numbers.

**Seal & Signature of the Bidder**

**I.G of Police, F.S, HGs & C.D  
Odisha, Cuttack.  
(Seal and Signature of the  
Tender Calling Authority)**

**TECHNICAL BID FORMAT**

**Tender Call Notice No.  
Tender Document No. V**

Sl. No.	Name of the Clothing items to be purchased	Whether offered product fulfils the detailed Technical Specifications, Kindly answer Yes or No only.	Offered specifications and details of deviations if any. (Separate paper indicating details in case of major deviations to be attached)
1	Maroon Lanyard (Braided)		
2	OHG white Metal Cap Badge		
3	OHG White Metal Letters		
4	Hackles (B/W)		
5	Brown Nylon Belt with Belt Plate and OHG Logo		
6	White T.C. Cloth		
7	Oxford Shoe Brown (PU Sole)		
8	Jungle Boot (PU Sole)		
9	P.T.Shoe (White)		
10	Brown colour leather belt with belt plate and OHG Logo		
11	Name Plate for Home Guards		
12	P.T.Vest (White)		
	<b>Name of the Ceremonial Equipment items</b>		
1.(i)	Pagari		
(ii)	Scarf		
(iii)	Kamar Patti		
(iv)	Shoulder Strap		
(v)	Woolen Sash (Maroon Colour)		
2.	White Cotton Long Gloves		
3.	White Anklet		

**FINANCIAL BID FORMAT**

Tender Call Notice No.

**Tender Document No. VI**

**Name of the item with make & model :-**

**PART - I**

1. Name and address of the Bidder :
2. Whether a manufacturer/ Authorized Agent :
3. States in which Business run :
4. State from which material would be delivered if  
found successful in the bid :
5. GST Registration Number :
6. PAN :
7. Annual Turnover of Previous Financial year :
8. Whether the above Registration Certificate are  
valid / Suspended / Cancelled at the time of  
filling tender. :
9. Whether up to date returns under all Acts filed ?

**PART - II**

1. Brand name of the item manufactured / traded :
2. Basic Unit Price :
3. IGST @ \_\_\_\_\_% :
4. OGST @ \_\_\_\_\_% :
5. CGST @ \_\_\_\_\_% :
6. Freight / Transportation Charges :
7. Loading and Unloading Charges :
8. Any other Charges before Delivery :
9. Any other Charges including installation charges :

- 
10. Gross Price of the Unit to be considered  
(Sum total of Sl. 1 to 9 of Part-II above)
  11. Total Sum payable for supply of entire bid quantity.  
(Mark NA against the Sl. Which is not applicable)

**PART - III**

1. Terms & Conditions of Delivery
2. Terms and Conditions of Payment
3. Preference for mode of payment of "Performance Security".

**Seal & Signature of the Bidder**